


# Verifying the HALE Measurements of the Global Burden of Disease Study: Quantitative Methods Proposed

Christos H Skiadas, ManLab, Technical University of Crete

<http://www.smta.net/demographics2016.html>



## Introduction


Starting from 1990 the Global Burden of Disease Study (GBD) produced important estimates for the Loss of Healthy Life Years (LHLY) and for the Healthy Life Expectancy (HLE) under the term HALE.

The GBD system is very heavy and laborious thus making difficult the reproduction and validation of results. It is not possible to estimate the LHLY and the HLE for the past time periods when no GBD data are available. The main finding is that the longer we live the more the years with poor health (LHLY) tend to increase. Another important point is that although women live longer than men their Healthy Life Years Lost are higher than man.

## Research Aim


Proposing and applying methods to estimate the LHLY and the HLE using data only from the Life Tables. Comparing our results with the related HALE measures from the World Health Organization (WHO). To support the previous applications based on the Health State Function by a new Mortality Model.

The Simpler Health State Model  $H_x = l - \left(\frac{x}{T}\right)^b$





## The Mortality Diagram to Estimate the Loss of Healthy Life Years.

(Use  $\mu_x$ ,  $m_x$  or  $nM_x$  data) [arXiv:1510.07346](https://arxiv.org/abs/1510.07346) [q-bio.PE]



## Comparisons



## Characteristics of the Mortality Model from the Graph

1. The Mortality Area (OCABO)
2. The Health Area (ODACO)
3. The Total Area (ODABO)
4. Equation

$$\mu_x = \left(\frac{x}{T}\right)^b$$

5. Mortality Area

$$E_{mortality} = \frac{T}{(b+1)}$$

6. Health Area

$$E_{health} = \frac{bT}{b+1}$$

7. Total Area

$$E_{total} = T$$

8. Fraction of Health / Mortality

$$\frac{E_{health}}{E_{mortality}} = b$$

9. Fraction of Total Area / Mortality

$$\frac{E_{total}}{E_{mortality}} = b + 1$$

10. The last two fractions express the relative influence of Health and Mortality to the overall public opinion. Thus the parameter  $b$  is an estimator of the Loss of Healthy Life Years. This parameter is proportional to  $E_{health}$  and inversely related to  $E_{mortality}$ .

## Key Points of the Models and Methods

Proposing and applying a simple mortality model based on the  $\mu_x$ ,  $m_x$  or  $nM_x$  data sets;  
 Proposing and applying a health state model based on the  $ndx$ ,  $\mu_x$ ,  $m_x$ ,  $nM_x$ , or Death and Population data sets;  
 We use the abridged life tables provided by WHO;  
 Our estimates are compared with the HALE estimates for the WHO member countries;  
 The results suggest improved WHO estimates in recent years for the majority of the cases and comparative figures with our estimates;  
**Paper:** Christos H Skiadas, Verifying the HALE measures of the Global Burden of Disease Study: Quantitative Methods Proposed. [arXiv:1510.07346](https://arxiv.org/abs/1510.07346) [pdf], Oct. 2015;  
 Presentation in the 5<sup>th</sup> Demographics Workshop in a Special Session devoted HALE and the Global Burden of Disease Study: Call for Papers at:

<http://www.smta.net/demographics2016.html>

<http://www.cmsim.net>